



Recognize possible signs and symptoms of Tuberculosis. Early diagnosis and treatment reduces spread. Contact your Health Department or physician for more information.



U.S. Department of Health and Human Services
Centers for Disease Control and Prevention

Reprinted from 1999 Revised TB Risk Classification of Health Department and physician

<https://www.cdc.gov/tb/topic/basics/signsandsymptoms.htm>

TB = TUBERCULOSIS

TB infection can lead to TB disease.

TB enters through the lungs. TB disease may cause:

- a bad cough that lasts 3 weeks or longer
- pain
- coughing up blood
- weakness
- weight loss
- no appetite
- chills
- fever
- sweating at night

TB germs can be in any part of the body. TB has different symptoms depending on the area affected.



Recognize possible signs and symptoms of Tuberculosis. Early diagnosis and treatment reduces spread. Contact your Health Department or physician for more information.



U.S. Department of Health and Human Services
Centers for Disease Control and Prevention

Reprinted from 1999 Revised TB Risk Classification of Health Department and physician

<https://www.cdc.gov/tb/topic/basics/signsandsymptoms.htm>

TB = TUBERCULOSIS

TB infection can lead to TB disease.

TB enters through the lungs. TB disease may cause:

- a bad cough that lasts 3 weeks or longer
- pain
- coughing up blood
- weakness
- weight loss
- no appetite
- chills
- fever
- sweating at night

TB germs can be in any part of the body. TB has different symptoms depending on the area affected.