

LTBI

Side effects from medications to prevent TB are RARE, but watch for the following symptoms.



결핵을 예방하는 약물이 부작용을 일으키는 경우는 드물지만 다음과 같은 증상을 주의하십시오.

Ang mga hindi magandang epekto (side effects) mula sa mga gamot upang maiwasan ang TB ay BIHIRA, ngunit bantayan ang mga sintomas na ito



Nausea or vomiting

메스꺼움 혹은 구토

Pagduruwal o pagsusuka



Pain in your abdomen

복통

Sakit sa iyong tiyan



Poor appetite

식욕 저하

Hindi magana



Yellow skin or eyes

노란 피부 혹은 안구

Dilaw na balat o mata



Dark urine (tea or coffee color)

어두운 소변(차 혹은 커피와 같은 색)


Maitim na ihi (kulay tsaa o kape)



Diarrhea

설사

Pagtatae




A. Cotter

Skin rash or itching


피부 발진 혹은 가려움

Pantal sa balat o pangangati



Bruising and bleeding

멍 및 출혈



Pamamasa at pagdurugo



A. Cotter

Feeling tired

피로감


Nakakaramdam ng pagod



Headache

두통

Sakit ng ulo



Numb or tingling hands or feet

손 혹은 발에 감각이 없거나 따끔거림



Namamanhid o nangingimay na mga kamay o paa

FOR PATIENTS ON 3HP



Flu-like symptoms

감기와 비슷한 증상

Mga sintomas na tulad
ng trangkaso



STOP taking the medicine and
IMMEDIATELY call the clinic!

복용을 즉시 중단하고 병원에
연락하세요!

ITIGIL ang pag-inom ng gamot at
AGAD na tawagan ang klinika!